



G 17, Bharat Industrial Estate, T. J. Road,
Sewree (W), Mumbai - 400 015. INDIA.

Sales Direct : (022) 24156638

Tel. : (022) 24124540, 24181649. **Fax :** (022) 24149659

Email : kusam_meco@vsnl.net

Website : www.kusamelectrical.com
www.kusam-meco.co.in




**NETWORK
CABLE TESTER
MODEL - KM 36**

**OPERATION
MANUAL**

KUSAM-MECO

NETWORK CABLE TESTER MODEL - KM 36



KUSAM-MECO

NETWORK CABLE TESTER USER'S MANUAL

2 In 1 Multiple Network Test Instrument

INTRODUCTION

This series cable tester are specified to quickly test by auto scanning the wires continuity, miswiring and polarization of Ethernet (BNC/TNC). 10-Base-T (UTP/STP), AT & T 258A, TIA 568A/B, Token Ring, and modular cable. By using the attached remote terminator, you can easily test the cable whatever before or after the cables installed. Easy access and quickly check up.





OPERATION :

1. Open the Power, indicate LCD will be Light.
2. Test Unshield TP : If all cables are all right, green indicator LED will flash from 1&2 to 7&8 in order. if red LED is lighting or all LED are not lighting, or in wrong order, the cables must be wrong.
3. Test shield UTP : If all cables are all right, the green indicator LED will flash from 1&2 to SHIELD+BNC. If red LED is lighting, or is wrong order, the cables must be wrong.
4. Test coaxial cable : If all cables are all right, SHIELD + BNC, will light green, or will not light.

5. If any pair cables is not connected well, the corresponding LEDs will not light. If connecting reversibly, the red LED will light.

Attention : The power supply is 9V DC

The occlusive place of main Unit and remote unit has a secret lock
When opening, press the edge and push.



MUMBAI
TEST CERTIFICATE
NETWORK CABLE TESTER

This Test Certificate warrants that the product has been inspected and tested in accordance with the published specifications.

The instrument has been calibrated by using equipment which has already been calibrated to standards traceable to national standards.

MODEL NO. KM 36

SERIAL NO. _____

DATE: _____

ISO 9001
REGISTERED



WARRANTY

Each "KUSAM-MECO" product is warranted to be free from defects in material and workmanship under normal use & service. The warranty period is one year (12 months) and begins from the date of despatch of goods. In case any defect occurs in functioning of the instrument, under proper use, within the warranty period, the same will be rectified by us free of charges, provided the to and fro freight charges are borne by you.

This warranty extends only to the original buyer or end-user customer of a "KUSAM-MECO" authorized dealer.

This warranty does not apply for damaged Ic's, fuses, burnt PCB's, disposable batteries, carrying case, test leads, or to any product which in "KUSAM-MECO's" opinion, has been misused, altered, neglected, contaminated or damaged by accident or abnormal conditions of operation or handling.

"KUSAM-MECO" authorized dealer shall extend this warranty on new and unused products to end-user customers only but have no authority to extend a greater or different warranty on behalf of "KUSAM-MECO".

"KUSAM-MECO's" warranty obligation is limited, at option, free of charge repair, or replacement of a defective product which is returned to a "KUSAM-MECO" authorized service center within the warranty period.

THIS WARRANTY IS BUYER'S SOLE AND EXCLUSIVE REMEDY AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. "KUSAM-MECO" SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LOSSES, INCLUDING LOSS OF DATA, ARISING FROM ANY CAUSE WHATSOEVER.

All transaction are subject to Mumbai Jurisdiction.



G 17, Bharat Industrial Estate, T. J. Road,
Sewree (W), Mumbai - 400 015. INDIA.

Sales Direct : (022) 24156638

Tel. : (022) 24124540, 24181649. **Fax :** (022) 24149659

Email : kusam_meco@vsnl.net

Website : www.kusamelectrical.com
www.kusam-meco.co.in